

REFERENCES

Books

- [A.1] R Errickson, "Introductin to Power Electronics," *John Wiley*, New York, 2000.
- [A.2] P. Wood, "Switching Power Converters," *Van Nostrand Reinhold Company*, New York, 1981.
- [A.3] R. Stengel, "Stochastic Optimal Control," *John Wiley*, New York, 1986.

Three phase Voltage Source inverter PWM Schemes

- [3.1] A. Schonung and H Stemmler, "Static frequency changers with subharmonic control in conjunction with reversible speed ac drives," *Brown Boveri Rev.*, vol no 51, nos. 8/9, pp. 555-557, Sept. 1964.
- [3.2] G. Pfaff, A. Weschta, and A Wick, " Design and experimental results of a brushless ac servo drive," *IEEE Transactions on Industrial Applications*, IA-20, pp 814-821, 1984.
- [3.3] H. W. van der Broeck, H. Ch. Skudelny, and G. Stanke, " Analysis and realization of a pulse width modulator based on voltage source space vectors," *IEEE Transactions on Industrial Applications*, vol 24 , pp 142-150, 1988.
- [3.4] S. Ogasawara, H. Agaki, and A. Nabae, " A novel PWM scheme of voltage source inverter based on space vector theory," *Conference record European Power Electronics Conf.*, pp 1197-1202, 1989.
- [3.5] G. Buja and G Indri, " Improvement of pulse width modulation techniques," *Arch Elektrotech. (Germany)*, vol 57, pp 281-289, 1975.
- [3.6] K. G. King, " A three phase transistor class B inverter with sinewave output and high efficiency," *Instrumentation Elect Eng Conference Publication 123*, pp 204-209, 1974.
- [3.7] J A Houldsworth and D. A. Grant, " The use of harmonic distortion to increase the output voltage of the three phase PWM," *IEEE Transactions on Industrial Applications*, vol 24 , pp 142-150, 1988.
- [3.8] R O C Lyra and T A Lipo, " Torque density improvement in a six-phase induction motor with third harmonic current injection," *Conference Record IEEE Industry Applications Society*, vol. 3, 2001, pp. 1779-1786.

- [3.9] J. Holtz, "Pulse width modulation for electronic power conversion," *Proc IEEE*, vol IA-20, pp 1224-1228, Sept/Oct 1984.
- [3.10] M Depenbrock, "Pulse width control of a three phase with non sinusoidal phase voltages," *Conference Record IEEE Int Semiconductor Power Conversion Conference*, pp. 399-403, 1977.
- [3.11] J W Kolar, H Ertl, F C Zach, "Influence of modulation method on the conduction and switching losses of a PWM Converter system," *IEEE Transactions on Industrial Applications*, vol 27, pp 1063-1075, 1991.
- [3.12] A M Trzynadlowski and S Legowski, "Minimum- Loss Vector Strategy for Three Phase Inverters," *IEEE Transactions on Power Electronics*, vol 9, pp 26-34, Jan 1994.
- [3.13] K Tanniguchi, Y Ogino and H Irie, "PWM Technique for Power Mosfet Inverter," *IEEE Transactions on Power Electronics*, vol 3, pp 328-334, July 1988.
- [3.14] Vladimir Blasko, "Analysis of a hybrid PWM based on modified space-vector and triangle-comparison methods," *IEEE Transactions on Industry Applications*, v 33, n 3, May-Jun, 1997, p 756-764.
- [3.15] K Zhou and D Wang, "Relationship between space-vector modulation and three phase carrier based PWM: A comprehensive analysis," *IEEE Transactions on Industrial Electronics*, vol 49 no 1, Feb 2002, p 186-195.
- [3.16] C B Jacobina, A M N Lima, R C da Silva, R Alves, and P F Seixas, "Digital scalar pulse width modulation: A simple approach to introduce Non-Sinusoidal modulating waveforms," *IEEE Transactions on Power Electronics*, vol. 16, no. 3, May, 2001, p 351-359.
- [3.17] A. Hava, R. J. Kerkman and T. A. Lipo, "A High Performance Generalized Discontinuous PWM Algorithm," *IEEE Trans. on Industry Applications*, vol. 34, no. 5, pp. 1059-1071, September/October 1998.
- [3.18] M Malinowski, "Adaptive modulator for three phase PWM rectifier/inverter," *Proc EPE-PEMC Conf.*, Kosice, pp 1.35-1.41, 2000.
- [3.19] A. Hava, R. J. Kerkman and T. A. Lipo, "Carrier based PWM VSI overmodulation strategies: Analysis, Comparison, and Design," *IEEE Transactions on Power Electronics*, vol. 13, no. 4, pp. 674-689, July 1998.
- [3.20] J Ojo F Osaloni P Kshirsagar, "Generalized Discontinuous PWM Schemes in Three Phase Inverters," Accepted for publication in *IEEE Transactions on Industrial Applications*.

Current Source Inverter PWM Schemes

- [4.1] A. M. Trzynadlowski, "Introduction to modern power electronics," *Wiley Interscience*, 1998.
- [4.2] B. Wu, S.B. Dewan, and G.R. Slemon, "PWM-CSI inverter for induction motor drives," *Conference Record IAS Annual Meeting*, pp 508-513, 1989.
- [4.3] P. N. Enjeti, P.D. Ziogas, and J.F. Lindsay, "A Current Source PWM Inverter with instantaneous current control capability," *IEEE Transactions on Industrial Applications*, vol. 27, pp 582-588, 1991.
- [4.4] P. N. Enjeti, P.D. Ziogas, and J.F. Lindsay, "Programmed PWM Techniques to eliminate harmonics: A critical evaluation," *IEEE Transactions on Industrial Applications*, vol. 26, pp 302-316, Mar./Apr 1990.
- [4.5] H. Karshenas, H. Kojori, and S. Dewan, "Generalized techniques of selective harmonic elimination and current controlling current source inverters/converters," *IEEE Transactions on Power Electronics*, vol. 10, pp 566-573, Sept 1995.
- [4.6] J. R. Espinoza, G. Joos, J. I. Guzman, L. A. Moran, R. P. Burgos, "Selective harmonic elimination and current/voltage control in current/voltage-source topologies: A unified approach," *IEEE Transactions on Industrial Electronics*, vol. 48, pp 71-81, Feb 2001.
- [4.7] M. Hombu, S. Ueda, and A. Ueda, "A current source GTO inverter with sinusoidal input and outputs," *IEEE Transactions on Industrial Applications*, vol. IA-23, no. 2 pp 247-255, Mar./Apr 1987.
- [4.8] M. Hombu, S. Ueda, and A. Ueda, "A new current source GTO inverter with sinusoidal input and outputs," *IEEE Transactions on Industrial Applications*, vol. IA-21, no. 5 pp 1192-1197, Sept/Oct 1985.
- [4.9] Gerald Ledwich, "Current source inverter modulation," *IEEE Transactions on Power Electronics*, vol. 6, no. 4 pp 618-623, Oct 1991.
- [4.10] J. Chen, and K. Ngo, "Synthesis of a linearizing pulse width modulator for three phase inverters," Source not found.
- [4.11] J. R. Espinoza, and G. Joos, "Current source converter on-line pattern generator switching frequency minimization," *IEEE Transactions on Industrial Electronics*, vol. 44, pp 198-206, April 1997.

- [4.12] D N. Zmood, and D. G. Holmes, "A generalized approach to the modulation of current source inverters," *Conference proceedings IEEE PESC'98 1998*, vol. 1, pp 739-746.
- [4.13] D N. Zmood, and D. G. Holmes, "Improved voltage regulation for current source inverters," *IEEE Transactions on Industrial Applications*, vol. 37, no. 4, pp 1028-1036, July/August 2001.
- [4.14] B. R. Pelly, "Thyristor Phase Converters and Cycloconverters," New York: Wiley, 1971.
- [4.15] A Bendre, I. Wallace, J Nord and G. Venkataramanan, "A current source PWM inverter with actively commutated SCR's," *IEEE Transactions on Power Electronics*, vol. 17, no. 4, pp 461-468, July 2002.
- [4.16] A. Hava, R. J. Kerkman and T. A. Lipo, "A High Performance Generalized Discontinuous PWM Algorithm," *IEEE Trans. on Industry Applications*, vol. 34, no. 5, pp. 1059-1071, September/Octobe.

Four Legged Inverter applications and PWM schemes

- [5.1] V. B. Bhavaraju and Prasad N. Enjeti, "Analysis and Design of an Active Power Filter for Balancing Unbalanced Loads," *IEEE Transactions on Power Electronics*, Vol. 8, No. 4, Oct. 1993.
- [5.2] R Zhang D Borojevich *et.al*, "A three phase inverter with a neutral leg with space vector modulation," *Proceedings of VPEC seminar*, Sept. 1996, Blaksburg VA.
- [5.3] P Enjeti, S Kim "A new DC side active filter for inverter power supplies compensates for unbalanced and nonlinear loads," *Conference Record IEEE Industry Applications Society*, vol. 1, 1991, pp. 1023-1031.
- [5.4] Thomas M. Jahns, Rik W. A. A. De Doncker, Arthur V. Radun, Paul M. Szczesny, and Fred G. Turnbull "System Design Considerations for a High-Power Aerospace Resonant Link Converter," *IEEE Transactions on Power Electronics* Vol. 8, No. 4, Oct.1993.
- [5.5] Conor A. Quinn, Ned Mohan "Active Filtering of Harmonic Currents in Three-Phase, Four-Wire Systems with Three-Phase and Single-Phase Non-Linear Loads," *Conference Record of IEEE-APEC*, 1992, pp. 829-836.
- [5.6] A Julian T Lipo G Oriti, "Elimination of common mode voltage in three phase sinusoidal power converters," *Conference Record IEEE Power Electronics Specialist conference*, vol. 2, 1996, pp. 1968-1972.

- [5.7] R Zhang ,V H Prasad, D Boroyevich, F C Lee, “Three-Dimensional Space vector modulation for four leg voltage source converters,” *IEEE Transactions on Power Electronics* Vol. 17, No. 3, May.2002.
- [5.8] W J Lee and C H Lin, “Utility deregulation and its impact on industrial power systems,” *IEEE Ind Application Mag.* Vol. 4,pp 40-46, May/June 1998.
- [5.9] W G Scott, “Micro turbine generators for distribution systems,” *IEEE Ind Application Mag.* Vol. 4,pp 57-62, May/June 1998.
- [5.10] S L Salazar H F Zapata and F E Weichmann, “Analysis design and experimental evaluation of fourpole PWM rectifier using space vector modulation,” *Conference Record IEEE Power Electronics Specialist conference*, 1997, pp. 484-490.
- [5.11] R Zhang F C Lee and D Boroyevich , “Four-legged three phase PFC rectifier with fault tolerant capability,” *Conference Record IEEE Power Electronics Specialist conference*, 2000, pp. 359-364.
- [5.12] J Ojo P Kshirsagar F Osaloni, “Concise modulation strategies for four-leg voltage source inverters,” *Conference Record IEEE Power Electronics Specialist conference*, 2002, pp. 265-272.
- [5.13] J Ojo P Kshirsagar, “A new carrier based PWM scheme for a four legged voltage source inverter,” *Conference Record IEEE Power Electronics Specialist conference*, 2003, pp. 265-272.
- [5.14] A Dastfan, D Platt, and V J Gosbell, “Design and implementation of a new three phase four wire active filter with minimum components,” *Conference Record IEEE Industry Applications Society*, 1998, pp. 1847-1852.
- [5.15] H Prasad D Boroyevich and R Zhang, “Analysis and comparison of space vector modulation for four legged inverters,” *Conference Proc APEC-97*, 1997, pp. 864-871.